

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name: Kenso Agcare Triclopyr 600 Herbicide
Product Type: Group I Herbicide
Company Name: Kenso Corporation (M) Sdn Bhd
Address: Level 1, 98 Commercial Road, Teneriffe QLD 4005
Telephone Number: (07) 3216 1188
Emergency Telephone Number: 000 (Police or Fire Brigade)
13 11 26 (Poisons Information Centre)
Use: For the control of a range of woody weeds and melons.

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Classification Classified as hazardous according to criteria of Safe Work Australia.
 Not classified as a Dangerous Good according to the ADG Code.



Classification of the Hazardous Chemical: Acute toxicity (Dermal) – Category 4
 Skin sensitization – Category 1
 Serious eye damage/eye irritation – Category 2/2A
 Hazardous to the aquatic environment, long term – Chronic 1

GHS Signal Word: **WARNING**

Hazard statements: H302: Harmful if swallowed.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.
 H410: Very toxic to aquatic life with long lasting effects.
Prevention: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash contacted areas thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P272: Contaminated work clothing should not be allowed out of the workplace.
 P273: Avoid release to the environment.
 P280: Wear protective gloves, protective clothing and eye or face protection.

Response: P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P321: Specific treatment (see FIRST AID on this label).
 P330: Rinse mouth.

Storage: P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
Disposal: P337+P313: If eye irritation persists: Get medical advice/attention
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P391: Collect spillage.
 P405: Store locked up.
SUSMP Classification: P501: Dispose of contents/container as specified on the registered label
ADG Classification: S6
UN Number: N/A.
 N/A

Emergency Overview

Physical Description & colour: Amber liquid.

Odour: Aromatic hydrocarbon odour.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS number	Proportion
Triclopyr butoxyethyl ester	64700-56-7	60%
Inert ingredients	secret	to 100%

SECTION 4 – FIRST AID MEASURES

Inhalation:	Remove to fresh air, keep warm and at rest. Give artificial respiration or oxygen if breathing is shallow or stopped. Get medical attention immediately.
Skin contact:	Remove contaminated clothing and wash affected areas or skin with soap and water. Seek medical advice if irritation develops.
Eye contact:	Hold the eyes and flush immediately with plenty of water. Seek medical advice if irritation develops.
Ingestion:	If swallowed, do NOT induce vomiting; seek medical advice immediately and show this container or label or contact the Poisons Information Centre on 13 11 26 (Australia). Make every effort to prevent vomit from entering the lungs by careful placement of the patient. Give a glass of water.

Advice to Doctor:

Treatment is symptomatic.

If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.

SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazard

Product is a combustible liquid, (C2)

Dangerous decomposition or Combustion Products

Thermal decomposition

May produce irritating vapours under fire conditions.

Hazardous decomposition products

Nitrogen oxides, hydrogen chloride and phosgene may be evolved when material is involved in fires.

Hazardous reactions

Avoid acids, bases and oxidising material.

Extinguishing Media

Extinguish fire with foam, dry powder, carbon dioxide or water spray.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills and Disposal

Ensure suitable personal protection (including respiratory protection) during removal of spillage. Contain spill and absorb with sand or other absorbent material. Do not allow to enter drains, sewers and watercourses. Collect in sealed open top container for disposal. Triple rinse containers, add rinsings to spray tanks and send containers for recycling or if not recycling, break, crush or puncture and bury empty containers in a local authority landfill or in accordance with local, state or federal regulation. Do not dispose of undiluted chemicals on site.

SECTION 7 – HANDLING AND STORAGE

Handling

When handling this product, do not eat, drink or smoke.

When mixing this product always wear a PVC or rubber apron, elbow length PVC gloves, face shield or goggles and overalls buttoned at the wrist and neck.

When spraying this product, wear a face shield or goggles

After each days use, wash gloves, face shield or goggles and overalls.

If product gets on skin, immediately wash area with soap and water.

Storage

Store in the closed, original container in a well-ventilated area as cool as possible out of direct sunlight. Keep from contact with fertilisers and seeds.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

None established for formulated product

Ingredient	TWA mg/m³
Triclopyr acid	4

Engineering Controls:

Well ventilated

Personal Protection:

Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray solution, wear PVC/rubber apron or cotton overalls buttoned to the neck and wrist, elbow-length PVC gloves and goggles or face-shield. After use and before eating, drinking and smoking, wash hands, arms and

face thoroughly with soap and water. After each day's use, wash gloves, face and contaminated clothing.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquid
Colour:	Amber
Odour:	Aromatic odour
Boiling point (°C):	>200°C
Vapour Pressure:	Not available
Flashpoint:	96°C
Flammability:	Combustible Liquid, (C2)
Specific Gravity:	1.20 ± 0.01
Solubility	Emulsify in water

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability

Stable under normal conditions.

Hazardous Polymerization

Hazardous polymerisation is not possible.

SECTION 11 – TOXICOLOGICAL INFORMATION

Carcinogenicity

Triclopyr has been assessed in animals and some data exists that triclopyr is a substance which causes some concern for humans owing to possible carcinogenic effects from long term exposure, but in respect of which the available information is not adequate for making a satisfactory assessment.

Acute Toxicity – Oral

LD₅₀ (rat): 803 mg/kg for triclopyr butoxyethyl ester

Acute Toxicity – Dermal

LD₅₀ (rabbit): >2000 mg/kg for triclopyr butoxyethyl ester

Acute Toxicity – Inhalation

LC₅₀ (rat) (4hr): >4.8 mg/l for triclopyr butoxyethyl ester

Potential Health Effects

Health Effects No LD₅₀ information is available for this product.

Acute:

Inhalation: Cause irritation to respiratory system

Skin contact: Cause irritation. Will have a degreasing action on the skin. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Eye contact: Cause irritation

Ingestion: The material is moderately discomforting to the gastro-intestinal tract and may be harmful if swallowed in large quantity. If liquid enters lungs may cause lung damage due to chemical pneumonia, a condition caused by solvents.

Chronic:

In extreme cases the solvent present may adversely affect liver and kidney.

Other Information

The Australian ADI for triclopyr is set at 0.005 mg/kg/day with corresponding NOEL of 0.5 mg/kg/day.

*ADI= Acceptable Daily Intake; NOAEL: No Observable Adverse Effect Level. Data adopted from Australia ADI List, June 2023.

SECTION 12 – ECOLOGICAL INFORMATION

Persistence / Degradability

Triclopyr butoxyethyl ester is rapidly hydrolysed to triclopyr acid in soil and water.

Other Precautions

Do not contaminate dams, waterways or sewers with this product or the containers which have held this product.

Environmental Protection

Spray drift can cause damage, read the label for more information.

Marine pollutant.

Acute Toxicity – Fish

The following is data for the active ingredient, triclopyr as the butoxyethyl ester.

LC₅₀ (96 hr) for the most sensitive species tested is 0.31 mg/l.

Acute Toxicity – Daphnia

EC₅₀ (48 hr) for daphnia is 0.66 mg/l for triclopyr butoxyethyl ester.

Acute Toxicity – Algae

LC₅₀ (48hr) for algae is 0.193 mg/l.

Acute Toxicity – Other Organisms

Bees: Not toxic to bees. LD₅₀ >100 µg/bee.

LD₅₀ for bobwhite quail is 735 mg/kg for triclopyr butoxyethyl ester

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal: Instructions concerning the disposal of this product and its containers are given on the product label. These should be carefully followed.

SECTION 14 – TRANSPORT INFORMATION

ADG

UN Number: 3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (contains TRICLOPYR)

Class: 9

Packaging group: III
Hazchem: 3Z
Storage and Transport: Considered non dangerous for road and rail transport (in packaging) by the Australian Code for the Transport of Dangerous Goods by Road and Rail. Ref: ADG7; SP No. AU01

IMO-IMDG

UN Number: 3082
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICLOPYR)
Class: 9
Packaging group: III
Marine pollutant: Yes

SECTION 15 – REGULATORY INFORMATION

SUSMP Classification S6
Packaging & Labelling POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SECTION 16 – OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail
CAS number Chemical Abstracts Service Registry Number
Hazchem Number Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC International Agency for Research on Cancer
NOHSC National Occupational Health and Safety Commission
SUSMP Standard for the Uniform Scheduling of Medicines & Poisons
UN Number United Nations Number
GHS Globally Harmonised System

CONTACT POINT:

Police and Fire Brigade: Dial 000
National Poisons Information Centre: Dial **13 11 26 (from anywhere in Australia)**
For 24 hour emergency response: Dial 0428 776 327
Ask for Russell Clark