

## SAFETY DATA SHEET

### SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

**Product Name:** Kenso Agcare Ox 240 Herbicide  
**Product Type:** Group G Herbicide  
**Company Name:** Kenso Corporation (M) Sdn Bhd  
**Address:** Level 1, 98 Commercial Road, Teneriffe QLD 4005  
**Telephone Number:** (07) 3216 1188  
**Emergency Telephone Number:** 000 (Police or Fire Brigade)  
**13 11 26 (Poisons Information Centre)**  
**Use:** For the selective control of certain broadleaf and grass weeds as per the directions for use table on the label.

### SECTION 2 – HAZARDS IDENTIFICATION

**Hazard Classification:** Classified as hazardous according to criteria of Safe Work Australia. Not classified as a Dangerous Good according to the ADG Code.



**Classification of the Hazardous Chemical:** Aspiration hazard – Category 1  
Skin corrosion/irritation – Category 2  
Serious eye damage/eye irritation – Category 2/2A  
Reproductive toxicity – Category 1  
Hazardous to the aquatic environment, long-term – Chronic 1

**GHS Signal Word:** **DANGER**

**Hazard statements:** H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation

H319: Causes serious eye irritation.

H360: May damage fertility or the unborn child.

H410: Very toxic to aquatic life with long lasting effects.

**Prevention:** P201: Obtain special instruction before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash contacted areas thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

**Response:** P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

	P321: Specific treatment (see FIRST AID on this label).
	P331: Do not induce vomiting.
	P332+P313: If skin irritation occurs: Get medical advice/attention.
	P337+P313: If eye irritation persists: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
	P391: Collect spillage.
<b>Storage:</b>	P405: Store locked up.
<b>Disposal:</b>	P501: Dispose of contents and containers as specified on the registered label.
<b>SUSMP Classification:</b>	S5
<b>ADG Classification:</b>	N/A
<b>UN Number:</b>	N/A

### Emergency Overview

**Physical Description & colour:** Clear, amber liquid.

**Odour:** Aromatic odour.

**Major Health Hazards:** Oxyfluorfen is practically non-toxic by ingestion, with report oral LD<sub>50</sub> values of 5000 mg/kg in both rats and dogs, and 2700 to 5000 mg/kg in mice. The dermal LD<sub>50</sub> is greater than 5000 mg/kg in both rats and rabbits, also indicating slight toxicity by this route. It causes no skin irritation in rabbits, no skin sensitization in guinea pigs, and moderate eye irritation in rabbits.

### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS number	Proportion
Oxyfluorfen	42874-03-3	24%
Inert ingredients	secret	<15
Liquid hydrocarbon	64742-94-5	to 100%

### SECTION 4 – FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air until recovered. If symptoms persist, seek medical advice.
<b>Skin contact:</b>	Remove contaminated clothing and launder before use. Wash affected areas or skin thoroughly with soap and water. Seek medical advice if irritation develops.
<b>Eye contact:</b>	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open.
<b>Ingestion:</b>	If swallowed, DO NOT induce vomiting. Seek medical advice or contact Poisons Information Centre (Ph 13 11 26)

**Advice to Doctor:**

Treat symptomatically. If vomiting occurs, solvent present may cause pulmonary pneumonitis.

### SECTION 5 – FIRE FIGHTING MEASURES

**Specific Hazard**

Product is a combustible liquid, (C2)

**Fire/Explosion Hazard**

**Dangerous Decomposition or Combustion Products**

**Thermal Decomposition**

None. If involved in a fire, it will emit carbon monoxide, phosgene, hydrogen chloride and possibly hydrogen fluoride.

**Hazchem Code**

None Allocated

**Decomposition Temperature**

Not known, stable at 100°C

**Extinguishing Media**

Water fog, foam, carbon dioxide or dry chemical.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**Spills & Disposal**

Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite). Collect spilled material and waste in sealable open-top type containers for disposal. On-site disposal of concentrate is not acceptable.

**Environmental Precautions**

This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

**SECTION 7 – HANDLING AND STORAGE**

**Handling**

When handling this product, do not eat, drink or smoke.

When mixing this product always wear a PVC or rubber apron, elbow length PVC gloves, face shield or goggles and overalls buttoned at the wrist and neck.

When spraying this product, wear a face shield or goggles

After each days use, wash gloves, face shield or goggles and overalls.

If product gets on skin, immediately wash area with soap and water.

**Storage**

Store in the closed, original container in a well-ventilated area as cool as possible out of direct sunlight. Keep from contact with fertilisers and seeds.

**SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**National Exposure Standards**

The manufacturer of the solvent has recommended an occupational exposure limit of 100 mg/m<sup>3</sup>; 15ppm TWA, as total hydrocarbon. NOHSC has set the following exposure standard for N-methyl pyrrolidone : TLV (TWA) 103 mg/m<sup>3</sup>, STEL 309 mg/m<sup>3</sup>. SK 'SK' notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

**Engineering Controls**

Handle in well ventilated areas, generally natural ventilation is adequate.

**Personal Protective Equipment**

When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length butyl gloves and goggles.

#### Requirements Concerning Special Training

NSW regulations require that people who use pesticides in their job or business must have training in the application of the materials. By 1<sup>st</sup> September, 2005 all users must have received such training.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Colour:	amber
Odour:	aromatic odour
Vapour Pressure:	0.0267 mPa @ 25°C for oxyfluorfen
Flashpoint:	100°C
Flammability:	Combustible liquid, (C2)
Specific Gravity:	1.08 ± 0.01
Solubility	Emulsify in water

### SECTION 10 – STABILITY AND REACTIVITY

#### Chemical Stability

Stable under normal conditions.

#### Hazardous Reactions

Keep away from strong oxidising agents.

#### Hazardous Polymerization

Hazardous polymerisation is not possible.

### SECTION 11 – TOXICOLOGICAL INFORMATION

#### Toxicology Information

No harmful effects are expected if the precautions on the label and this SDS are followed.

#### Acute Toxicity – Oral

LD<sub>50</sub> (rat) >5,000 mg/kg for oxyfluorfen

#### Acute Toxicity – Dermal

LD<sub>50</sub> (rabbit) >10,000 mg/kg for oxyfluorfen

#### Acute Toxicity – Inhalation

LC<sub>50</sub> (rat) (4hr) >5.4 mg/l

### Potential Health Effects

#### Health Effects

##### Acute:

##### **Inhalation:**

High vapour concentrations of the solvent while handling the concentrate are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, and may have other central nervous system effects.

- Skin contact:** May irritate the skin. Prolonged contact with the concentrate can cause defatting of the skin and may result in dermatitis.
- Eye contact:** May cause irritation.
- Ingestion:** The concentrate is of low toxicity if swallowed. If aspirated into the lung, e.g. from vomiting, the presence of solvent may result in chemical pneumonitis or other lung damage.

**Chronic:**

Liver and kidney damage has been noted in laboratory animals that have been fed excessive doses of oxyfluorfen.

**Other Information**

The Acceptable Daily Intake (ADI) for oxyfluorfen for a human is 0.025 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 2.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australia ADI List, December 2023).

**SECTION 12 – ECOLOGICAL INFORMATION**

**Acute Toxicity – Fish**

The following is data for the active ingredient, oxyfluorfen.

LC<sub>50</sub> (96 hr) for trout is 0.41 mg/l.

LC<sub>50</sub> (96 hr) for bluegill sunfish is 0.2 mg/l.

**Acute Toxicity – Daphnia**

LC<sub>50</sub> (48 hr) for daphnia is 1.5 mg/l for oxyfluorfen.

**Acute Toxicity – Other Organisms**

Birds: Not toxic to birds. LD<sub>50</sub> for bobwhite quail is >2,250 mg/kg

Bees: Not toxic to bees. LD<sub>50</sub> >25 µg/bee.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

**Disposal:** Instructions concerning the disposal of this product and its containers are given on the product label. These should be carefully followed.

**SECTION 14 – TRANSPORT INFORMATION**

**ADG**

<b>UN Number:</b>	3082
<b>Proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (contains OXYFLUORFEN)
<b>Class:</b>	9
<b>Packaging group:</b>	III
<b>Hazchem:</b>	3Z

**Storage and Transport:** Considered non dangerous for road and rail transport (in packaging) by the Australian Code for Transport of Dangerous Goods by Road and Rail. Ref: ADG7; SP No. AU01.

**IMO-IMDG**

**UN Number:** 3082  
**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (contains OXYFLUORFEN)  
**Class:** 9  
**Packaging group:** III  
**Marine pollutant:** Yes

**SECTION 15 – REGULATORY INFORMATION**

**SUSMP Classification** S5  
**Packaging & Labelling** CAUTION  
 KEEP OUT OF REACH OF CHILDREN  
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**SECTION 16 – OTHER INFORMATION**

**This SDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

**ADG Code** Australian Code for the Transport of Dangerous Goods by Road and Rail  
**CAS number** Chemical Abstracts Service Registry Number  
**Hazchem Number** Emergency action code of numbers and letters that provide information to emergency services especially firefighters  
**IARC** International Agency for Research on Cancer  
**NOHSC** National Occupational Health and Safety Commission  
**SUSMP** Standard for the Uniform Scheduling of Medicines & Poisons  
**UN Number** United Nations Number  
**GHS** Globally Harmonised System

**CONTACT POINT:**

Police and Fire Brigade:	Dial	000
<b>National Poisons Information Centre:</b>	<b>Dial</b>	<b>13 11 26 (from anywhere in Australia)</b>
For 24 hour emergency response:	Dial	0428 776 327
		Ask for Russell Clark