

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name:	Kenso Agcare Traktion 400 WG Herbicide
Product Type:	Group 1 Herbicide
Company Name:	Kenso Corporation (M) Sdn Bhd
Address:	Level 1, 98 Commercial Road, Teneriffe QLD 4005
Telephone Number:	(07) 3216 1188
Emergency Telephone Number:	000 (Police or Fire Brigade) 13 11 26 (Poisons Information Centre)
Use:	For the control of wild oats and annual ryegrass and suppression of annual phalaris in wheat, barley, rye, and triticale as specified in the DIRECTIONS FOR USE table

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Classification: Classified as hazardous according to criteria of Safe Work Australia. Not classified as a Dangerous Good according to the ADG Code.



Classification of the Hazardous Chemical: Acute toxicity (Oral) – Category 4
Carcinogenicity – Category 2
Hazardous to the aquatic environment, long term – Chronic 2

GHS Signal Word: **WARNING**

Hazard statements: H302: Harmful if swallowed.
H351: Suspected of causing cancer
H411: Toxic to aquatic life with long lasting effects.

Prevention: P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P264: Wash contacted areas thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/ face protection.

Response: P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P308+P313: If exposed or concerned: get medical advice/attention.

Storage: P330: Rinse mouth.
P391: Collect spillage.
Disposal: P405: Store locked up.
P501: Dispose of contents and containers as specified on the registered label.
SUSMP Classification: S5
ADG Classification: Not a dangerous good.
UN Number: None allocated.

Emergency Overview

Physical Description & colour: Blue granules

Major Health Hazards: Harmful by inhalation, in contact with skin, and if swallowed, eye irritant.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS number	Proportion
Tralkoxydim	87820-88-0	40%
Inert ingredients	secret	to 100%

SECTION 4 – FIRST AID MEASURES

Inhalation:	Remove to fresh air until recovered. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.
Skin contact:	Remove contaminated clothing and decontaminate them before reuse or discard. Wash affected area thoroughly with soap and water.
Eye contact:	Flush eyes immediately with plenty of fresh water for at least 20 minutes or until the product is removed, while holding the eyelids open. However, if irritation persists, see a doctor. Take special care if exposed person is wearing contact lens.
Ingestion:	If swallowed, rinse mouth and drink plenty of water. If poisoning occurs, contact a doctor or Poisons Information Centre.

Advice to Doctor

Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazards:

Dangerous Decomposition or Combustion products

Thermal Decomposition

Combustible solid. If involved in a fire, it will emit oxides of carbon, oxides of nitrogen and possibly oxide of sulfur.

Extinguishing Media

Water fog, foam, carbon dioxide or dry chemical.

Protective Equipment

Breathable air apparatus should be worn when fighting a fire in which this product is involved.

Other Information

Prevent fire water from entering drains or water bodies.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills & Disposal: Recover the product by sweeping up or vacuuming without raising dust. Collect spilled material and waste in sealable open-top type containers for disposal. On-site disposal of concentrate is not acceptable.

Personal Protection: For appropriate personal protective equipment (PPE), refer Section 8.

Environmental Precautions: This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

SECTION 7 – HANDLING AND STORAGE

Handling

When handling this product, do not eat, drink or smoke.

When mixing this product always wear a PVC or rubber apron, elbow length PVC gloves, face shield or goggles and overalls buttoned at the wrist and neck.

When spraying this product, wear a face shield or goggles

After each days use, wash gloves, face shield or goggles and overalls.

If product gets on skin, immediately wash area with soap and water.

Storage

Store in the closed, original container in a well-ventilated area as cool as possible out of direct sunlight. Keep from contact with fertilisers and seeds.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

National Exposure Standards:

No exposure standard for this product has been set, however, an exposure standard has been set for talc at 2.5 mg/m³. The manufacturer has recommended the following exposure standard for tralkoxydim: TLV (TWA) 3 mg/m³, STEL - mg/m³.

Engineering Controls:

Handle in well ventilated areas, generally natural ventilation is adequate. Avoid generating and inhaling dusts.

Personal Protection:

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing and safety equipment.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form:	granules
Colour:	blue granules
Melting point (°C):	99 – 104 °C for tralkoxydim
Specific Density:	1.16
Vapour Pressure:	3.7 x 10 ⁻⁴ mPa (tralkoxydim)
Flammability:	Combustible
Water Solubility	Dispersible

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerisation is not possible.

Conditions to Avoid: Tralkoxydim (before formulation) has exhibited exothermic decomposition at around 100°C. Avoid heating the product to high temperatures.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity – Oral

The following data is for the active ingredient, tralkoxydim.

LD₅₀ (rat, male) 1324 mg/kg

LD₅₀ (rat, female) 934 mg/kg

Acute Toxicity – Dermal

LD₅₀ (rat) >2000 mg/kg for tralkoxydim

Acute Toxicity – Inhalation

LC₅₀ (rat) (4hr) >3.5 mg/l

Potential Health Effects

Health Effects

Acute:

Inhalation: May cause the irritation to the respiratory tract.

Skin contact: Repeated or prolonged exposure may cause irritant contact dermatitis.

Eye contact: May cause irritation.

Ingestion: Possible symptoms of exposure included nausea, vomiting and central nervous system depression.

Chronic:

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Other Information The ADI for tralkoxydim for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.5 mg/kg/day, the level determined to show

no effects during long term exposure for the most sensitive indicators and the most sensitive species.
*ADI= Acceptable Daily Intake; NOAEL: No Observable Adverse Effect Level. Data adopted from Australia ADI List, December 2025.

SECTION 12 – ECOLOGICAL INFORMATION

Acute Toxicity – Fish

The following is data for the active ingredient, tralkoxydim.

LC₅₀ (96 hr) for rainbow trout is >7.2 mg/l

LC₅₀ (96 hr) for bluegill sunfish is >6.1 mg/l.

Acute Toxicity – Daphnia

EC₅₀ (48 hr) for daphnia is >175 mg/l for tralkoxydim.

Acute Toxicity – Algae

EC₅₀ (120hr) for green algae 7.6 mg/l.

Acute Toxicity – Other Organisms

Birds: Not toxic to birds. LD₅₀ for mallard ducks is >3020 mg/kg

Bees: Not toxic to bees. LD₅₀ 54 µg/bee.

Environmental Protection

Spray drift should be avoided, read the label for more information.

Persistence / Degradability

Average field half life of tralkoxydim under aerobic conditions is 2 - 5 days.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal: Instructions concerning the disposal of this product and its containers are given on the product label. These should be carefully followed.

SECTION 14 – TRANSPORT INFORMATION

ADG

UN Number:	None allocated
Proper shipping name:	None allocated
Class:	None allocated
Packaging group:	None allocated
Storage and Transport	Not a dangerous good

IMO-IMDG

UN Number:	None allocated
Proper shipping name:	None allocated
Class:	None allocated
Packaging group:	None allocated

Marine pollutant: None allocated

SECTION 15 – REGULATORY INFORMATION

SUSMP Classification S5
Packaging & Labelling CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SECTION 16 – OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail
CAS number Chemical Abstracts Service Registry Number
Hazchem Number Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC International Agency for Research on Cancer
NOHSC National Occupational Health and Safety Commission
SUSMP Standard for the Uniform Scheduling of Medicines & Poisons
UN Number United Nations Number
GHS Globally Harmonised System

CONTACT POINT:

Police and Fire Brigade:	Dial	000
National Poisons Information Centre:	Dial	13 11 26 (from anywhere in Australia)
For 24 hour emergency response:	Dial	1800 951 288 03 9573 3188